SMARTSteps Baseline Questionnaire

Sections relevant to analysis in article "Language-Concordant Automated Telephone Queries to Assess Medication Adherence in a Diverse Population: A Cross-Sectional Analysis of Convergent Validity with Pharmacy Claims"

DEMOGRAPHICS

Now I'd like to ask about some basic information about yo	ou.
How many years have you had diabetes?YEARS	[If <1 yr, use decimal, e.g. 6 mos = 0.5 yr. Otherwise, round to the nearest integer.]
Were you born in the U.S.?	
1 YES	
0 No ── In total, how many yea	ars have you lived in the U.S.? YEARS
What ethnic group do you most identify with? [Check one	e only]
HISPANIC OR LATINONON-HISPANIC OR NON-LATINO	
What race or group do you most identify with? [Check on	e only]
ASIAN OR PACIFIC ISLANDER BLACK OR AFRICAN AMERICAN WHITE OR CAUCASIAN NATIVE AMERICAN LATINO (A) OR HISPANIC [Don't read] MULTI-ETHNIC [eg. 1& 3] [Don't read] OTHER [Don't read] REFUSED	
Are you currently married or in a long-term relationship?	
1 YES 0 NO	
What is the highest level of school that you have complete	d?
NEVER WENT TO SCHOOL BETWEEN 1ST AND 5TH GRADE BETWEEN 6TH AND 8TH GRADE SOME HIGH SCHOOL HIGH SCHOOL GRADUATE OR "GED"	

6 SOME COLLEGE OR TECHNICAL SCHOOL

7 COLLEGE GRADUATE

8 GRADUATE DEGREE

Which of the following best describes your current working status?

- 1 Working full-time (≥ 35 Hr) if yes: _____ Hrs/ week
- 2 Part-time (<35 Hr) if Yes: _____hrs/ week
- 3 HOMEMAKER
- 4 UNEMPLOYED
- 5 DISABLED
- 6 RETIRED
- 7 [Don't read] OTHER _____

Which of the following categories best describes your total annual household income? Please remember, this survey is confidential.

- 1 Less than \$5,000 per year
- 2 Between \$5,001 and \$10,000 per year
- 3 Between \$10,001 and \$20,000 per year
- 4 BETWEEN \$20,001 AND \$30,000 PER YEAR
- 5 MORE THAN \$30,000 PER YEAR
- 8 [Don't read] REFUSED
- 9 [Don't read] DON'T KNOW

Medications

Now I will ask you some questions about your medications. Some questions may ask about your diabetes health care team. This team includes people from the San Francisco Health Plan and from your clinic (doctors, nurses, nutritionists, dieticians, pharmacists, diabetes educators, telephone nurses and counselors). Many people miss taking their medication sometimes, so it's okay if you tell me you don't always take all of your medications.

In the <u>last 6 months</u>...

Have you been prescribed or asked by a member of your diabetes health care team to take insulin?

- 1 YES, AND I CURRENTLY TAKE INSULIN
- 2 YES, BUT I DO NOT TAKE INSULIN
- 0 No, I was never prescribed OR ASKED TO TAKE insulin
- 9 [Don't read] DON'T KNOW

[IF BOTTOM <mark>3,</mark> SKIP TO NEXT SECTION]

When you are feeling GOOD, do you sometimes STOP taking your insulin shots?

- ☐1 Yes: You stop because...[Please choose ALL that apply]
 - 1 insulin makes you feel sick (side effects)
 - 2 you don't think insulin is helpful
 - 3 you think insulin might cause additional problems
 - 4 you might gain weight
 - 5 insulin makes you feel low/ blue/ suffer
 - 6 insulin costs a lot
 - 7 you already take too many medications
 - 8 other

 \Box 0 No: You always take them.

When you are feeling SICK, do you sometimes STOP taking your insulin shots?

- ☐ Yes: You stop because...[Please choose **ALL** that apply]
 - 1 they make you feel sick (side effects)
 - 2 you don't think they are helpful
 - 3 you think they might cause additional problems
 - 4 you might gain weight
 - 5 they make you feel low/ blue/ suffer
 - 6 they cost a lot
 - 7 you already take too many medications
 - 8 other

 \square_0 No: You always take them.

Thinking about the <u>last 7 days</u>, how many days did you MISS even one insulin shot? [Read options]

- 0 DAYS [I DID NOT MISS ANY SHOTS]
- 1 1 DAY

- 2 DAYS
- 3 DAYS
- 4 4 DAYS
- 5 DAYS
- 6 6 DAYS
- 7 7 DAYS

If your diabetes health care team were to recommend that you INCREASE the dose of your insulin, would you agree to do so?

□1 Yes

- □ No: Is this because... [Please choose **ALL** that apply]
 - 1 they make you feel sick (side effects)
 - 2 you don't think they will be helpful
 - 3 you think they might cause additional problems
 - 4 you might gain weight
 - 5 they make you feel low/ blue/ suffer
 - 6 they cost a lot
 - 7 you already take too many medications
 - 8 other

If NOT currently using Insulin:

If your diabetes health care team recommended you START insulin, would you start?

- 1 YES
- 0 No: Is this because... [Please choose **ALL** that apply]
 - 1it would make you feel sick (side effects)
 - 2 you don't think it will be helpful
 - 3 you think it might cause additional problems
 - 4 you might gain weight
 - 5 it might make you feel low/ blue/ suffer
 - 6 it might cost a lot
 - 7 you already take too many medications
 - 8 other
 - 9 [Don't read] DON'T KNOW

In the last 6 months...

Have you been prescribed or asked by a member of your diabetes health care team to take diabetes pills?

- 1 YES, AND I CURRENTLY TAKE DIABETES PILLS
- 2 YES, BUT I DO NOT TAKE DIABETES PILLS
- 0 NO, I WAS **NEVER** PRESCRIBED OR ASKED TO TAKE DIABETES PILLS
- 9 [Don't read] DON'T KNOW

[IF BOTTOM 3, SKIP TO NEXT SECTION]

When you are feeling GOOD, do you sometimes STOP taking your diabetes pills?

- ☐ Yes: You stop because...[Please choose ALL that apply]
 - 1 they make you feel sick (side effects)

2 you don't think they are helpful 3 you think they might cause additional problems 4 you might gain weight 5 they make you feel low/ blue/ suffer 6 they cost a lot 7 you already take too many medications 8 other \Box_0 No: You always take them. When you are feeling SICK, do you sometimes STOP taking your diabetes pills? ☐ 1 Yes: You stop because...[Please choose **ALL** that apply] 1 they make you feel sick (side effects) 2 you don't think they are helpful 3 you think they might cause additional problems 4 you might gain weight 5 they make you feel low/ blue/ suffer 6 they cost a lot 7 you already take too many medications 8 other \Box ₀ No: You always take them. In the <u>last 7 days</u>, how many days did you MISS even one diabetes pill? [Read options] 0 DAYS 1 1 DAY 2 DAYS 3 DAYS 4 4 DAYS 5 DAYS 6 6 DAYS 7 7 DAYS If your diabetes health care team were to recommend that you INCREASE the dose of your diabetes pills, would you agree to do so? □1 Yes □ No: Is this because...[Please choose **ALL** that apply] 1 they make you feel sick (side effects) 2 you don't think they are helpful 3 you think they might cause additional problems 4 you might gain weight 5 they make you feel low/ blue/ suffer 6 they cost a lot 7 you already take too many medications 8 other

If your diabetes health care team were to recommend that you take a NEW diabetes pill, would you take it?

- 1 YES
- o No: Is this because... [Please choose **ALL** that apply]
 - iit would make you feel sick (side effects)
 - 2 you don't think it will be helpful
 - 3 you think it might cause additional problems
 - 4 you might gain weight
 - 5 it might make you feel low/ blue/ suffer
 - 6 it might cost a lot
 - 7 you already take too many medications
 - 8 other

If NOT currently using Diabetes pills:

If your diabetes health care team recommended you START diabetes pills, would you start?

- 1 YES
- o No: Is this because... [Please choose ALL that apply]
 - iit would make you feel sick (side effects)
 - 2 you don't think it will be helpful
 - 3 you think it might cause additional problems
 - 4 you might gain weight
 - 5 it might make you feel low/ blue/ suffer
 - 6 it might cost a lot
 - 7 you already take too many medications
 - 8 other
 - 9 [Don't read] DON'T KNOW

In the last 6 months...

Have you been prescribed or asked by a member of your diabetes health care team to take blood pressure pills?

- 1 YES AND I CURRENTLY TAKE BLOOD PRESSURE PILLS
- 2 YES, BUT I DO NOT TAKE BLOOD PRESSURE PILLS
- 0 NO, I WAS **NEVER** PRESCRIBED OR ASKED TO TAKE BLOOD PRESSURE PILLS
- 9 [Don't read] DON'T KNOW

[IF BOTTOM 3, SKIP TO NEXT SECTION]

When you are feeling GOOD, do you sometimes STOP taking your blood pressure pills?

- ☐ 1 Yes: You stop because...[Please choose **ALL** that apply]
 - 1 they make you feel sick (side effects)
 - 2 you don't think they are helpful
 - 3 you think they might cause additional problems
 - 4 they make you feel low/ blue/ suffer
 - 5 they cost a lot
 - 6 you already take too many medications
 - 8 other
- \square 0 No: You always take them.

☐1 Yes: You stop because 1 they make yo 2 you don't thir 3 you think the 4 they make yo 5 they cost a lot	CK, do you sometimes STOP taking your blood pressure pills? se[Please choose ALL that apply] u feel sick (side effects) nk they are helpful y might cause additional problems u feel low/ blue/ suffer ake too many medications
□0 No: You always take	them.
In the <u>last 7 days</u> , how r pill? [Read options	nany days did you MISS even one blood pressure
1 1 2 2 3 3 4 4 5 5 6 6	DAYS DAYS DAYS DAYS DAYS DAYS DAYS DAYS
If your diabetes health capressure pills, would you	are team were to recommend that you INCREASE the dose of your blood a agree to do so?
1 they make yo 2 you don't thir 3 you think the 4 they make yo 5 they cost a lot	. [Please choose ALL that apply] u feel sick (side effects)? uk they will be helpful y might cause additional problems u feel low/ blue/ suffer ake too many medications
would you take it? 1 YES 0 NO: Is this because 1it would make 2 you don't thir 3 you think it m	are team were to recommend that you take a NEW medication for blood pressure, [Please choose ALL that apply] you feel sick (side effects) ak it will be helpful hight cause additional problems you feel low/ blue/ suffer a lot

- 6 you already take too many medications
- 8 other

If **NOT** currently using Blood Pressure pills:

80. If your diabetes health care team recommended you START taking blood pressure pills, would you start?

- 1 YES
- o No: Is this because... [Please choose **ALL** that apply]
 - 1 they would make you feel sick (side effects)
 - 2 you don't think they will be helpful
 - 3 you think they might cause additional problems
 - 4 they might make you feel low/ blue/ suffer
 - 5 they might cost a lot
 - 6 you already take too many medications
 - 8 other
 - 9 [Don't read] DON'T KNOW

In the <u>last 6 months</u>...

Have you been prescribed or asked by a member of your diabetes health care team to take pills to lower your cholesterol?

- 1 YES, AND I CURRENTLY TAKE CHOLESTEROL PILLS
- 2 YES, BUT I DO NOT TAKE CHOLESTEROL PILLS
- NO , I WAS NEVER PRESCRIBED OR ASKED TO TAKE CHOLESTEROL PILLS
- 9 [Don't read] DON'T KNOW

[IF BOTTOM 3, SKIP TO NEXT SECTION]

When you are feeling GOOD, do you sometimes STOP taking your cholesterol pills? □1 Yes: You stop because...[Please choose ALL that apply]

- 1 they make you feel sick (side effects)
- 2 you don't think they are helpful
- 3 you think they might cause additional problems
- 4 they make you feel low/ blue/ suffer
- 5 they cost a lot
- 6 you already take too many medications
- 8 other

 \square_0 No: You always take them.

When you are feeling SICK, do you sometimes STOP taking your cholesterol pills?

- □ 1 Yes: You stop because...[Please choose **ALL** that apply]
 - 1 they make you feel sick (side effects)
 - 2 you don't think they are helpful
 - 3 you think they might cause additional problems
 - 4 they make you feel low/ blue/ suffer
 - 5 they cost a lot

6 you already take too many medications 8 other \Box ₀ No: You always take them. In the **last 7 days**, how many days did you MISS even one cholesterol pill? [Read options] 0 DAYS 1 1 DAY 2 DAYS 3 DAYS 4 4 DAYS 5 DAYS 6 6 DAYS 7 DAYS If your diabetes health care team were to recommend that you INCREASE the dose of your cholesterol pills, would you agree to do so? □1 Yes □ No: Is this because... [Please choose **ALL** that apply] 1 they make you feel sick (side effects) 2 you don't think they will be helpful 3 you think they might cause additional problems 4 they make you feel low/ blue/ suffer 5 they cost a lot 6 you already take too many medications 8 other If your diabetes health care team were to recommend that you take a NEW medication for cholesterol, would you take it? 1 YES o No: Is this because... [Please choose **ALL** that apply] it would make you feel sick (side effects) 2 you don't think it will be helpful

8 other

5 it might cost a lot

If NOT currently using Cholesterol pills:

87. If your diabetes health care team recommended you START taking cholesterol pills, would you start?

- 1 YES
- 0 No: Is this because... [Please choose **ALL** that apply]

3 you think it might cause additional problems 4 it might make you feel low/ blue/ suffer

6 you already take too many medications

iit would make you feel sick (side effects)

- 2 you don't think it will be helpful
- 3 you think it might cause additional problems
- 4 it might make you feel low/ blue/ suffer
- 5 it might cost a lot
- 6 you already take too many medications
- 8 other
- 9 [Don't read] DON'T KNOW

In the <u>last 6 months</u>...

Have you been prescribed or asked by a member of your diabetes health care team to take aspirin?

- 1 YES, AND I CURRENTLY TAKE ASPIRIN
- 2 YES, BUT I DO NOT TAKE ASPIRIN
- 0 NO, I WAS **NEVER** PRESCRIBED OR ASKED TO TAKE ASPIRIN
- 9 [Don't read] DON'T KNOW

[IF BOTTOM 3, SKIP TO NEXT SECTION]

In the <u>last 7 days</u>, how many days did you MISS even one aspirin pill? [Read options]

- 0 DAYS
- 1 1 DAY
- 2 DAYS
- 3 DAYS
- 4 4 DAYS
- 5 DAYS
- 6 6 DAYS
- 7 DAYS

HEALTH LITERACY

QHELP, QLEARN, & QFORM

Now we'd like to ask you some questions about your experience with written or printed information that you might get from your diabetes team, or at the clinic, hospital or pharmacy. Please try to answer the questions as best as you can.

How often do you have someone like a family member, friend, hospital or clinic worker or caregiver, help you read clinic or hospital materials?

- 5 ALWAYS
- 4 OFTEN
- 3 SOMETIMES
- 2 RARELY
- 1 NEVER

How often do you have problems learning about your medical condition because of difficulty understanding written information?

- 5 ALWAYS
- 4 OFTEN
- 3 SOMETIMES
- 2 RARELY
- 1 NEVER

How confident are you filling out forms by yourself?

- 5 EXTREMELLY CONFIDENT
- 4 QUITE A BIT CONFIDENT
- 3 SOMEWHAT CONFIDENT
- 2 A LITTLE CONFIDENT
- 1 NOT AT ALL CONFIDENT